


Recommend PCB footprint

NOTES(UNLESS OTHERWISH SPECIFIED):


- 1.PADS TO BE ELECTROLESS NICKEL/IMMERSION GOLD (ENIG) PLATED
- 2.VIAS IN PAD AREAS MUST BE FILLED
- 3.INTERPOSER OUTLINE; NO COMPONENTS ALLOWED WITHIN THIS AREA
- 4.ALLOWED COMPONENT AREA; MAXIMUM COMPONENT HEIGHT 1.3 mm
- 5.IF SOLDERMASK IS APPLIED IN THE ARRAY AREA. IT SHALL NOT PROTRUDE ABOVE THE PLANE OF THE CONTACT PAD SURFACE

	DIMENSIONS ARE IN MM .X ± 0.15 .XX ± 0.10 .XXX ± 0.05 ANGLE: NO DEC ± 1° .X ± 0.5° .XX ± 0.25°		MATERIAL: FINISH: -- DRAWN BY: Winni Cheng 2022/02/18 CHECKED BY: Jason Wu 2022/02/18 ENGR APPR: Gary Hsieh 2022/02/18 MFG APPR: QA APPR:		TITLE: 35 positions LGA-LGA PCBeam interposer (0.7424 mm pitch)	
	THIRD ANGLE		SIZE: B+		REV: 6	
	DWG NUMBER: BDX0035CMMSXAU01		SCALE: 12:1		SHEET 2 OF 4	

- PROPRIETARY INFORMATION -
 NO USE OR REPRODUCTION MAY BE MADE OF
 THIS DOCUMENT WITHOUT EXPRESS WRITTEN
 PERMISSION OF UNIMICRON.




VIEW E
 WINDOW AND ACTIVE ARRAY
 (FROM SHEET 1)



DETAIL F
 APERTURE LEFT EDGE
 (WINDOW OMITTED FOR CLARITY)
 SCALE 60 : 1

DETAIL G
 APERTURE RIGHT EDGE
 (WINDOW OMITTED FOR CLARITY)
 SCALE 60 : 1



VIEW H-H
 BACK SIDE METALLIZATION
 (FROM SHEET 1)

DMD footprint


necconix
 Unimicron

DIMENSIONS ARE IN
 MM
 .X ± 0.15
 .XX ± 0.10
 .XXX ± 0.05
 ANGLE: NO DEC ± 1°
 .X ± 0.5°
 .XX ± 0.25°
 THIRD ANGLE

MATERIAL:
 FINISH: --
 DRAWN BY: Winni Cheng 2022/02/18
 CHECKED BY: Jason Wu 2022/02/18
 ENGR APPR: Gary Hsieh 2022/02/18
 MFG APPR:
 QA APPR:


TITLE:
 35 positions LGA-LGA PCBeam
 interposer (0.7424 mm pitch)
 REV 6
 DWG NUMBER: BDX0035CMMSXAU01
 SCALE: 12:1 SHEET 3 OF 4

- PROPRIETARY INFORMATION -
NO USE OR REPRODUCTION MAY BE MADE OF
THIS DOCUMENT WITHOUT EXPRESS WRITTEN
PERMISSION OF UNIMICRON.



50PCS / TRAY


CARTON LABELS



260


260

420





10 TRAY / PACKAGE

6 PACKAGE/CARTON



PE BAG

DRIER



NOTE(UNLESS OTHERWISH SPECIFIED):
1.COMPONENT LOAD PER TRAY : 50PCS
10 TRAY/PACKAGE : 500PCS
6 PACKAGE/CARTON: 420mm X 260mm X 260mm.
TOTAL : 3000PCS/CARTON
2.MATERIAL : TRANSPARENT POLYSTYRENE(PS)

	DIMENSIONS ARE IN MM [INCH]		MATERIAL:		TITLE:	
	.X ± 0.13 [0.005]	✓	FINISH: --	35 positions LGA-LGA PCBeam interposer (0.7424 mm pitch)		
	.XX ± 0.08 [0.003]		DRAWN BY: Winni Cheng 2022/02/18	CHECKED BY: Jason Wu 2022/02/18	DWG. NO.:	
	.XXX ± 0.04 [0.001]		ENGR APPR: Gary Hsieh 2022/02/18	MFG APPR:	QA APPR:	
ANGLE: NO DEC ± 1° .X ± 0.5° .XX ± 0.25°		 THIRD ANGLE	SIZE:	B+	REV:	
			SCALE: 2.5:1	SHEET 4 OF 4	6	