








- PROPRIETARY INFORMATION -  
NO USE OR REPRODUCTION MAY BE MADE OF  
THIS DOCUMENT WITHOUT EXPRESS WRITTEN  
PERMISSION OF NEOCONIX.

Revisions			
REV	ECN #	Description	Date
5		Modify the guide pin hole diameter	03/05/2018
6		Modify the outline chamfer	10/28/2019
7		Change flange tip design from dual tip to single tip design	08/24/2021




NOTES:(UNLESS OTHERWISE SPECIFIED)

- 1.INTERPRET DRAWING PER ASME Y14.5-94.
- 2.COMPLIANT WITH RoHS DIRECTIVE 2011/65/EU
- 3 .CENTER MARKS OF CONTACT POSITIONS ARE FOR COMPRESSED
- 4 .HEIGHT AT FULLY COMPRESSED CONTACTS

<p>715 N. PASTORIA AVE. SUNNYVALE, CA 94085 TEL: 408-530-9393 FAX: 408-530-9372</p>	DIMENSIONS ARE IN MM [INCH] .X ± 0.13 [.005] .XX ± 0.08 [.003] .XXX ± 0.025 [.001] ANGLE: NO DEC ± 1° .X ± 0.5° .XX ± 0.25°	MATERIAL: FINISH: GOLD DRAWN BY: HM 08/24/2021 CHECKED BY: Gary Hsieh 08/24/2021 ENGR APPR: Gary Hsieh 08/24/2021 MFG APPR: QA APPR:	TITLE: 54 POS PCBeam INTERPOSER LGA-LGA,0.7424 PITCH DWG NUMBER: BDX0054CMMF4AU00 SCALE: 7:1 SHEET 1 OF 3
	<p>THIRD ANGLE</p>	SIZE B+	REV 7
			REV 7
			SHEET 1 OF 3

- PROPRIETARY INFORMATION -  
NO USE OR REPRODUCTION MAY BE MADE OF  
THIS DOCUMENT WITHOUT EXPRESS WRITTEN  
PERMISSION OF NEOCONIX.




NOTES( UNLESS OTHERWISE SPECIFIED):

- 1.PADS TO BE ELECTROLESS NICKEL/IMMERSION GOLD (ENIG) PLATED
- 2.VIAS IN PAD AREAS MUST BE FILLED
- 3.INTERPOSER OUTLINE; NO COMPONENTS ALLOWED WITHIN THIS AREA
- 4.ALLOWED COMPONENT AREA; MAXIMUM COMPONENT HEIGHT 1.3 mm
- 5.IF SOLDERMASK IS APPLIED IN THE ARRAY AREA. IT SHALL NOT PROTRUDE ABOVE THE PLANE OF THE CONTACT PAD SURFACE

<p>715 N. PASTORIA AVE. SUNNYVALE, CA 94085 TEL: 408-530-9393 FAX: 408-530-9372</p>	<p>DIMENSIONS ARE IN MM [INCH]</p> <p>.X ± 0.13 [.005] .XX ± 0.08 [.003] .XXX ± 0.025 [.001]</p> <p>ANGLE: NO DEC ± 1° .X ± 0.5° .XX ± 0.25°</p> <p>THIRD ANGLE</p>		<p>MATERIAL: FINISH: Gold</p>		<p>TITLE: RECOMMEND PCB FOOTPRINT</p>		
	<p>DRAWN BY: HM 08/24/2021</p>	<p>CHECKED BY: Gary Hsieh 08/24/2021</p>	<p>ENGR APPR: Gary Hsieh 08/24/2021</p>	<p>MFG APPR:</p>	<p>QA APPR:</p>	<p>SIZE: B+</p>	<p>REV: 7</p>
	<p>SCALE: 7:1</p>					<p>SHEET 2 OF 3</p>	<p>DWG NUMBER: BDX0054CMMF4AU00</p>
	<p>7</p>						

- PROPRIETARY INFORMATION -  
NO USE OR REPRODUCTION MAY BE MADE OF  
THIS DOCUMENT WITHOUT EXPRESS WRITTEN  
PERMISSION OF NEOCONIX.



NOTE( UNLESS OTHERWISH SPECIFIED):  
1.COMPONENT LOAD PER TRAY : 50PCS  
10 TRAY/PACKAGE:500PCS  
6PACKAGE/CARTON: 420mm X 260mm X 260mm.  
TOTAL: 3000PCS/CARTON  
2.MATERIAL:TRANSPARENT POLYSTYRENE(PS).

<p>715 N. PASTORIA AVE. SUNNYVALE, CA 94085 TEL: 408-530-9393 FAX: 408-530-9372</p>	DIMENSIONS ARE IN MM [INCH] .X ± 0.13 [.005] .XX ± 0.08 [.003] .XXX ± 0.025 [.001] ANGLE: NO DEC ± 1° .X ± 0.5° .XX ± 0.25°		MATERIAL: FINISH: Gold		TITLE: RECOMMEND PCB FOOTPRINT	
	DRAWN BY: HM	08/24/2021	CHECKED BY: Gary Hsieh		08/24/2021	SIZE: B+
	ENGR APPR: Gary Hsieh	08/24/2021	MFG APPR:		DWG NUMBER: BDX0054CMMF4AU00	
	QA APPR:	08/24/2021	SCALE: 7:1		SHEET 3 OF 3	REV 7