






- PROPRIETARY INFORMATION -
NO USE OR REPRODUCTION MAY BE MADE OF
THIS DOCUMENT WITHOUT EXPRESS WRITTEN
PERMISSION OF NEOCONIX.

Revisions			
REV	ECN #	Description	Date
4		Add flatness & parallelism requirement, modify contact TP from 0.150 to 0.152	05/03/2018
5		Add package spec.	05/10/2018
6		Change flange tip design from dual tip to single tip design.	08/17/2021




NOTES: (UNLESS OTHERWISE SPECIFIED)

1. INTERPRET DRAWING PER ASME Y14.5-94.
2. COMPLIANT WITH RoHS DIRECTIVE 2011/65/EU
- 3 .CENTER MARKS OF CONTACT POSITIONS ARE FOR COMPRESSED
- 4 .HEIGHT AT FULLY COMPRESSED CONTACTS

<p>4020 Moorpark Ave., #108 San Jose, CA 95117 TEL: 408-530-9393 FAX: 408-530-9383</p>	DIMENSIONS ARE IN mm [INCH] .X ± 0.13 [.005] .XX ± 0.08 [.003] .XXX ± 0.025 [.001] ANGLE: NO DEC ± 1° .X ± 0.5° .XX ± 0.25°	MATERIAL: FINISH: DRAWN BY: HM 08/17/2021 CHECKED BY: JIAN YU 08/17/2021 ENGR APPR: Gary Hsieh 08/17/2021 MFG APPR: QA APPR:	TITLE: 54 POS PCBeam INTERPOSER LGA-LGA, 0.7424 PITCH DWG NUMBER: BDX0054CMMF4AU01 SCALE: 7:1 SHEET 1 OF 3
	THIRD ANGLE	SIZE B+	REV 6

- PROPRIETARY INFORMATION -
NO USE OR REPRODUCTION MAY BE MADE OF
THIS DOCUMENT WITHOUT EXPRESS WRITTEN
PERMISSION OF NEOCONIX.




NOTES(UNLESS OTHERWISH SPECIFIED):

- 1.PADS TO BE ELECTROLESS NICKEL/IMMERSION GOLD (ENIG) PLATED
- 2.VIAS IN PAD AREAS MUST BE FILLED
- 3.INTERPOSER OUTLINE; NO COMPONENTS ALLOWED WITHIN THIS AREA
- 4.ALLOWED COMPONENT AREA; MAXIMUM COMPONENT HEIGHT 1.3 mm
- 5.IF SOLDERMASK IS APPLIED IN THE ARRAY AREA. IT SHALL NOT PROTRUDE ABOVE THE PLANE OF THE CONTACT PAD SURFACE

<p>4020 Moorpark Ave., #108 San Jose, CA 95117 TEL: 408-530-9393 FAX: 408-530-9383</p>	DIMENSIONS ARE IN mm [INCH]		MATERIAL:		TITLE:	
	.X ± 0.13 [.005]	✓	FINISH: Gold		RECOMMEND PCB FOOTPRINT	
	.XX ± 0.08 [.003]		DRAWN BY: HM 08/17/2021	CHECKED BY: JIAN YU 08/17/2021	SIZE: B+	REV: 6
	.XXX ± 0.025 [.001]		ENGR APPR: Gary Hsieh 08/17/2021	MFG APPR:	DWG NUMBER: BDX0054CMMF4AU01	SCALE: 7:1 SHEET 2 OF 3
ANGLE: NO DEC ± 1° .X ± 0.5° .XX ± 0.25°						

- PROPRIETARY INFORMATION -
NO USE OR REPRODUCTION MAY BE MADE OF
THIS DOCUMENT WITHOUT EXPRESS WRITTEN
PERMISSION OF NEOCONIX.



NOTE(UNLESS OTHERWISH SPECIFIED):
1.COMPONENT LOAD PER TRAY : 50PCS
10 TRAY/PACKAGE:500 PCS
6 PACKAGE/CARTON: 420mm X 260mm X 260mm.
TOTAL: 3000PCS/CARTON
2.MATERIAL:TRANSPARENT POLYSTYRENE(PS).

<p>715 N. PASTORIA AVE. SUNNYVALE, CA 94085 TEL: 408-530-9393 FAX: 408-530-9372</p>	DIMENSIONS ARE IN MM [INCH]		MATERIAL: Gold		TITLE: PACKAGE SPEC.	
	.X ± 0.13 [.005]	✓	FINISH: --		SIZE B+	
	.XX ± 0.08 [.003]		DRAWN BY: HM	08/17/2021	DWG NUMBER: BDX0054CMMF4AU01	
	.XXX ± 0.025 [.001]		CHECKED BY: JIAN YU	08/17/2021	REV 6	
ANGLE: NO DEC ± 1° .X ± 0.5° .XX ± 0.25°		ENGR APPR: Gary Hsieh		SCALE: 2.5:1 SHEET 3 OF 3		
<p>THIRD ANGLE</p>		MFG APPR:				
		QA APPR:				